

Takeoff Tab

Concrete Sample Estimate

Bid No. 43

No.	Name	Height	Area	Quantity1 UOM1	Quantity2 UOM2	Quantity3 UOM3
(unassigned)						
10	Marker	0"	(unassigned)	14 EA	0	0
Concrete (3000 PSI)						
5	4" Reinforced Concrete Pavement (Class A)	0"	(unassigned)	154 CY	0	0
22	Pier 30/39	39' 0"	(unassigned)	50 CY	0	0
23	Pier 30/37	37' 0"	(unassigned)	40 CY	0	0
24	Pier 30/38	38' 0"	(unassigned)	21 CY	0	0
25	Pier 30/40	40' 0"	(unassigned)	22 CY	0	0
26	Pier 18/37	37' 0"	(unassigned)	29 CY	0	0
27	Pier 30/41	41' 0"	(unassigned)	30 CY	0	0
28	Pier 30/43	43' 0"	(unassigned)	8 CY	0	0
Concrete (3500 PSI)						
12	Slab On Grade	0"	(unassigned)	217 CY	0	0
14	Elevator pit wall @ 6'	6' 0"	(unassigned)	3 CY	0	0
15	Elevator Pit Sump Wall @ 2'8"	2' 8"	(unassigned)	0 CY	0	0
21	Elevator pit wall @ 4'6"	4' 6"	(unassigned)	1 CY	0	0
30	Slab 2nd Level	0"	(unassigned)	180 CY	0	0
9	Deck Slab 3rd Level	0"	(unassigned)	178 CY	0	0
Level 3 Slab is Composed Of 3" NWC Slab on 2" 18 GA Galv Composite Steel Deck (5" Total) Reinforced W/ 6x6 - W2.9xW2.9 WWF						
32	Slab At Roof	0"	(unassigned)	7 CY	0	0
Provide 3" NWC on 2" 18 GAComposite Metal Deck (5" Tortal Thick) Reinforced w/ 6x6 - W2.9xW2.9 WWF						
Concrete (4000 PSI)						
13	24"x24" Grade beam	2' 0"	(unassigned)	5 CY	0	0
16	24"x16", Grade Beam	2' 0"	(unassigned)	27 CY	0	0
17	28"x16", Grade Beam	2' 4"	(unassigned)	23 CY	0	0
18	Edge Slab @ 6"	6"	(unassigned)	16 CY	0	0
19	Rcc wall @ 12'9"	12' 9"	(unassigned)	15 LF	226 CF	0
20	Rcc wall @ 13'7"	13' 7"	(unassigned)	194 LF	3,069 CF	0
29	Pier Cap	0"	(unassigned)	5 CY	0	0
39	24"x24" Concrete Pilaster	0"	(unassigned)	16 CY	0	0
R/f w/ 12 - #7 Vertical & #3 Ties @ 8" O.C. Typical.						
Misc (3000 PSI)						
33	E6/AS1.21, Corner Monument Sign	0"	(unassigned)	1 CY	0	0
34	E6/AS1.21, Corner Monument Sign	0"	(unassigned)	1 CY	0	0
35	C10/AS1.21, Monument Sign 1	0"	(unassigned)	1 CY	0	0
36	C12/AS1.21, Trash Enclosure Footing.	0"	(unassigned)	3 CY	0	0
37	E6/AS1.21, Corner Monument Sign (Linear Fixture)	0"	(unassigned)	0 CY	0	0

Takeoff Tab

Concrete Sample Estimate

Bid No. 43

No.	Name	Height	Area	Quantity1 UOM1	Quantity2 UOM2	Quantity3 UOM3
38	C12/AS1.21, Trash Enclosure Grade Slab	0"	(unassigned)	3 CY	0	0
RCC (6.5 Sack Mix, 4500 PSI)						
3	6" RCC Pavement	0"	(unassigned)	20 CY	0	0
4	7" RCC Pavement	0"	(unassigned)	79 CY	0	0
RCC (Class C, 3600 PSI)						
1	Parking and Drive Areas, 5" RCC Pavement	0"	(unassigned)	764 CY	0	0
2	Dumpster area, 7" RCC Pavement	0"	(unassigned)	32 CY	0	0
6	Fire Lane, 6" RCC Pavement	0"	(unassigned)	780 CY	42,105 SF	0
Stairs						
7	Concrete Filed Mtl. Pan Tread Typical	0"	(unassigned)	1 CY	0	0
8	Landing Deck	0"	(unassigned)	4 CY	0	0